M

Notice of Allowability	Application No.	Applicant(s)	
	10/699,783	NELLEN, WILHELMUS H.J.	
	Examiner	Art Unit	
	Leslie J. Evanisko	2854	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to the amendment filed	<u>11/08/2004</u> .		
2. The allowed claim(s) is/are 1-7 and 9-11.			
3. \boxtimes The drawings filed on <u>04 November 2003</u> are accepted by	the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 	been received. been received in Application I cuments have been received in a cuments have been received in this communication to file a	No this national stage application from the	
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			
6. CORRECTED DRAWINGS (as "replacement sheets") mus (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the	con's Patent Drawing Review (. s Amendment / Comment or in84(c)) should be written on the c	the Office action of Irawings in the front (not the back) of	
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	6. ☐ Interview Sum Paper No./Ma 98), 7. ⊠ Examiner's An	il Date	

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

IN THE TITLE:

The title of the invention has been changed by the Examiner to the following to more accurately reflect the claimed invention:

--PRINTER AND APPARATUS FOR GUIDING INKJET PRINTHEAD

INCLUDING GUIDE RODS AND BEARINGS--

title has been changed

IN THE CLAIMS:

In claim 10, line 5, the term "a" (second o_____, was deleted and replaced with --the--.

In claim 10, line 6, the term "the" (first occurrence) was deleted and replaced with --a--.

The above changes to the claim were made to clear up an obvious informality. In particular, it appears that applicant amended line 5 in response to the claim objection regarding the language "the cavity wall" raised in the last

Application/Control Number: 10/699,783 Page 3

Art Unit: 2854

paragraph of page 4 of the office action dated August 11, 2004. However, the first occurrence of "the cavity wall" actually occurs in line 6 and additionally, it appears the term in line 5 should be "the" guide rod since the guide rod was previously recited in lines 4-5. Therefore, since this appears to have been merely a typographical error, the above correction was made.

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Leslie J. Evanisko** whose telephone number is **(571) 272-2161**. The examiner can normally be reached on M-Th 7:30 am-6:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Andrew H. Hirshfeld can be reached on (571) 272-2168. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/699,783

Art Unit: 2854

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Deskie Evandur Leslie J. Evanisko Primary Examiner Art Unit 2854

lje December 10, 2004